

Motorized - Speed 23 mm/ sec
Vertical travel 650 mm
Max. screen size 98"
Max. load capacity 200 kg
UL and CE certification (UL962 and UL62368)

[Learn More](#)

e-Box® II Wall Mount


Always at the right height with the touch of a button




e-Box® II Wall Mount



Promethean WALLMNT-2



Universal VESA Bracket



Motorized - Speed 38 mm/ sec
Vertical travel 650 mm
Max. screen size 98"
Max. load capacity 140 kg
UL and CE certification (UL962 and UL62368)


[Learn More](#)

e-Box® II Mobile Stand

Add flexibility and mobility to your screen



e-Box® II Mobile Stand



Motorized - Speed 38 mm/ sec
90 degrees from vertical to horizontal
Max. screen size 75"
Max. load capacity 100 kg
Anti-collision feature (UL962)


[Learn More](#)

e-Box® Tilt & Table


Move your screen in any direction, anywhere you want



e-Box® Tilt & Table



e-Box®
Universal Adapter Set




Suitable for displays of 42" - 86"
Vertical movement up to 400 mm
Maximum load capacity 95 kg
Compact, sustainable design
Easy and fast movement with a touch of your finger, no electricity needed

[Learn More](#)

BalanceBox® 400 Wall Mount


Innovative, manual, fast and safe




BalanceBox® 400



Promethean WALLMNT-2



Universal VESA Bracket




Optimal weight distribution to the floor
Maximum load capacity 125 kg
Standard height 2109 mm
Reliable with no compromise in safety
TÜV Certification (62368)



[Learn More](#)

Floor Support for BalanceBox® 400

Install your interactive screen safe and secure to non-supportive or studded walls: fixed height with VESA or dynamic height with BalanceBox® 400



Floor Support




Modular solution for any budget
Fast assembly
Suitable for displays up to 86"
Maximum load capacity: 125 kg
4 wheels diameter: 75mm; 2 with brake


[Learn More](#)


Mobile Stand Mix®

Move your screen wherever you want: fixed height with VESA or dynamic height with BalanceBox® 400



Mobile Stand Mix®






Suitable for displays of 65" - 98"
Vertical movement up to 650 mm
Maximum load capacity 162 kg
Easy movement with only a light touch of your finger, no electricity needed


[Learn More](#)

BalanceBox® 650


Manual height adjustable mount for displays up to 98"



BalanceBox® 650



Universal VESA Bracket




Optimal weight distribution to the floor
Maximum load capacity 292,5 kg
Standard height 2306 mm
Reliable with no compromise in safety
TÜV Certification (62368)



[Learn More](#)

Floor Support for BalanceBox® 650

Install your dynamic height adjustable interactive display safe and secure on a non-supportive or studded wall



Floor Support




Suitable for displays up to 98" diagonal
Maximum load capacity 180 kg
4 wheels diameter 125mm; 2 with brake
Robust construction & innovative wheel design



[Learn More](#)

Mobile Stand for BalanceBox® 650

Add flexibility and mobility to your interactive display solution with our mobile stand



Mobile Stand




2 double-sided white enameled (magnetic) whiteboards
Maximum load capacity 220 kg
Two standard sizes 70-75" and 80-86"
Compatible with all touch panel brands

[Learn More](#)

BalanceBox® Winx®

Whiteboard Frame Solutions for Touch Panels - Combine education technology and traditional teaching methods



Winx®